
WAREHOUSE STRUCTURES



Sam

627.90 P/ SQM (EXCL INSTALLATION) 488.37 P/ SQM (INCL. INSTALLATION)





COMPLETE WAREHOUSE WITH ERECTING INSTALLATION INCLUDED (COC)

Warehouse



CALL US



Payment terms

6 Months Acceptable T&C apply



WEIGHT STEEL STRUCTURE DESCRIPTION

- H-SHAPED STEEL
 COLUMN AND TRUSSES ARE CORROSION
 RESISTANT CORROSION PAINT TWO TIMES
- IBR GALVALUME ZINK ROOF SHEETING RUST RESISTANT
- BRACING BARS, EAVE ANGLES, CASING PIPES, ROOF AND GALVANIZED
- ANCHOR BOLTS AND HIGH STRENGTH BOLTS

STEEL STRUCTURE FEATURES

- าง WEIGHT STRUCTURE
- TO DIMENSIONS -37M X 58M X6.7M (10.9M RIDGE)
- ™ TOTAL SQM -2150SQM
- ROOF CARRYING WEIGHT OF 30KG/SQM
- NO COLMNS IN MIDDLE -ALL OPEN AREAS
- REAL SUPPORT STEEL TO ACCOMMODATE STRUCTURE
- SPEED UP TO 140KM/HOUR
- TO DUST PROOF SIDES WILL BE IN A BULL NOSE FORMAT





STRUCTURE PICTURES AND QUALITY



STEEL STRUCTURE WITH
IBR ROOF WITH BULLNOSE
SIDES

